

L Number	Hits	Search Text	DB	Time stamp
1	3353	711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:05
2	2169	713/1-2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:22
3	1244	714/6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:06
4	576	710/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:22
5	2	raid same (initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:13
6	3	raid same (initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 or align\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:23
7	185	(raid or array or disk or disc) and ((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:08
8	2130	initiali\$6 same redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:33
9	9	((raid or array or disk or disc) and ((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) ) and (initiali\$6 same redundan\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:33
10	6	((raid or array or disk or disc) and ((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) ) and (initiali\$6 same redundan\$3)) and (@ad<=20000825 or @rlad<=20000625)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:11
11	72	(initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 same redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:18
12	6772	(711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls. ) or 713/1-2.ccls. or 714/6.ccls. or 710/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:39
13	5	((711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls. ) or 713/1-2.ccls. or 714/6.ccls. or 710/10.ccls. ) and ((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 same redundan\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:39

14	2	(raid same (initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 ) and (@ad<=20000825 or @rlad<=20000625)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:40
15	52	((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 same redundan\$3 ) and (@ad<=20000825 or @rlad<=20000625)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 13:43
16	4803	711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls. or 711/170.ccls. or 711/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:06
17	2555	714/5-6.ccls. or 714/11-13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:07
18	9368	(711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls. or 711/170.ccls. or 711/168.ccls. ) or (714/5-6.ccls. or 714/11-13.ccls. ) or 713/1-2.ccls. or 710/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:08
19	0	(raid or array or disk or disc or dasd or storage or memory or volume) same((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) same redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:10
20	91	(raid or array or disk or disc or dasd or storage or memory or volume) and((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) and redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:22
22	0	((raid or array or disk or disc or dasd or storage or memory or volume) and((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) and redundan\$3 ) and ((711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls. or 711/170.ccls. or 711/168.ccls. ) or (714/5-6.ccls. or 714/11-13.ccls. ) or 713/1-2.ccls. or 710/10.ccls. )) and (@ad<=20000825 or @rlad<=20000625).	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:11
21	3	((raid or array or disk or disc or dasd or storage or memory or volume) and((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) and redundan\$3 ) and ((711/4.ccls. or 711/114.ccls. or 711/111-112.ccls. or 711/166.ccls. or 711/201.ccls. or 711/170.ccls. or 711/168.ccls. ) or (714/5-6.ccls. or 714/11-13.ccls. ) or 713/1-2.ccls. or 710/10.ccls. ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:12
23	0	snapshot and (raid same (initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:20
24	1	((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 same redundan\$3 ) and snapshot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:19

25	1	lun and ((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 same redundan\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:19
26	0	snapshot and (lun and ((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same boundar\$4 same redundan\$3 ))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:20
27	38	humlicek-donald\$.in.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:21
28	0	((raid or array or disk or disc or dasd or storage or memory or volume) and((initializ\$6 or (power adj2 on) or reset\$4 or (power adj2 up)) same (boundar\$4 and alignment)) and redundan\$3 ) and humlicek-donald\$.in.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:22
29	2	humlicek-donald\$.in. and boundary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:24
30	2	humlicek-donald\$.in. and boundary and initiali\$7	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 14:24